


Turmdrehkran

Tower Crane / Grue à tour / Gru a torre / Grúa torre
Guindaste de torre / Башенный поворотный кран

110 EC-B 6 FR.tronic®

110 EC-B 6

▶ **110 EC-B 6 FR.tronic®**





CE


EN 14439:2009-C25






032 74 99 225

MAZUR
www.zurawiewiezowe.pl

LIEBHERR













100 LC									
3,9m	3,9m + 5,85m	5,85m	11,7m						
11	9+1	7		—	—	—	43,7	—	—
10	8+1			—	—	—	41,8	—	—
9	7+1	6	3	—	35,7	—	39,8	51,4 ^o	51,4
8	6+1	5		33,8	33,8	—	37,9	49,5	49,5
7	5+1	4	2	29,9	29,9	41,5	35,9	47,5	47,5
6	4+1	3		27,9	27,9	39,5	34,0	45,6	45,6
5	3+1	2	1	26,0	26,0	37,6	32,0	43,6	43,6
4	2+1	1		24,0	24,0	35,6	30,1	41,7	41,7
3	1+1	0		22,1	22,1	33,7	28,1	39,7	39,7
2	0+1	0		20,1	20,1	31,7	26,2	37,8	37,8
1	0	0	0	18,2	18,2	29,8	24,2	35,8	35,8
0	0	0	0	16,2	16,2	27,8	22,3	33,9	33,9
				14,3	14,3	25,9	20,4	32,0	32,0
				12,3	12,3	23,9	18,5	30,1	30,1
				10,4	10,4	22,0	16,5	28,1	28,1
				8,4	8,4	20,0	14,6	26,2	26,2
				6,5	6,5	18,1	12,6	24,2	24,2
				4,5	4,5	16,1	10,7	22,3	22,3
				—	—	12,2	8,7	20,3	20,3
				—	—	—	6,8	18,4	18,4
				—	—	—	4,8	16,4	16,4
				—	—	—	—	12,5	12,5
				m a)	b)		m a)	b)	
									
									



o = Ohne Kabine / Without cabin / Sans cabine / Senza cabina / Sin cabina / Sem cabine / Без кабины

Weitere Hubhöhen sowie Klettern auf Anfrage. / Further hoist heights and climbing on request. / Hauteurs sous crochet plus élevées et hissage sur demande. / Altre altezze di sollevamento come pure telescopaggio, su richiesta. / Para alturas bajo gancho superiores y trepado, consultar. Outras alturas de elevação e ascensionamento, mediante consulta. / Другие высоты подъема и наращивание крана – по запросу.

120 HC									
									
17	—	—	—	—	48,7 ³⁾	—	—	—	—
16	50,5 ³⁾	53,6 ⁵⁾	50,0 ³⁾	53,1 ⁵⁾	46,2 ²⁾	49,3 ²⁾	—	—	—
15	48,0 ²⁾	51,1 ³⁾	47,5 ²⁾	50,6 ³⁾	43,7 ²⁾	46,8 ²⁾	45,2 ⁴⁾	—	—
14	45,5 ²⁾	48,6 ²⁾	45,0 ²⁾	48,1 ²⁾	41,2 ²⁾	44,3 ²⁾	42,7 ²⁾	45,8 ²⁾	—
13	43,0 ²⁾	46,1 ²⁾	42,5 ²⁾	45,6 ²⁾	38,7	41,8	40,2 ²⁾	43,3 ²⁾	—
12	40,5	43,6 ²⁾	40,0	43,1 ²⁾	36,2	39,3	37,7	40,8 ²⁾	—
11	38,0	41,1	37,5	40,6	33,7	36,8	35,2	38,3 ²⁾	—
10	35,5	38,6	35,0	38,1	31,2	34,3	32,7	35,8	—
9	33,0	36,1	32,5	35,6	28,7	31,8	30,2	33,3	—
8	30,5	33,6	30,0	33,1	26,2	29,3	27,7	30,8	—
7	28,0	31,1	27,5	30,6	23,7	26,8	25,2	28,3	—
6	25,5	28,6	25,0	28,1	21,2	24,3	22,7	25,8	—
5	23,0	26,1	22,5	25,6	18,7	21,8	20,2	23,3	—
4	20,5	23,6	20,0	23,1	16,2	19,3	17,7	20,8	—
3	18,0	21,1	17,5	20,6	13,7	16,8	15,2	18,3	—
2	15,5	18,6	15,0	18,1	11,2	14,3	12,7	15,8	—
1	13,0	16,1	12,5	15,6	8,7	11,8	10,2	13,3	—
0	10,5	13,6	10,0	13,1	6,2	9,3	7,7	10,8	—
		m a)	b)	m a)	b)	m a)	b)	m a)	b)
									
									



	U/min 0 ↔ 0,8 sl./min tr./min	7,5 kW FU
	0 ↔ 63,0 m/min 0 ↔ 80,0 m/min	3,0 kW FU 5,4 kW FU
	25,0 m/min	2 x 4,0 kW
 kVA 30 kW FU 42,0		

		↔ stufenlos / stepless / régl. continu regl. progressiva / sin escalones / sem degraus бесступенчатый kg m/min	
30 kW FU WIW 240 MZ 403 5 Lagen Layers Couches Avvolgimenti Camadas Capas Слоёв 100,0 m 174,0 m**		1 6000 0 ↔ 26 550 0 ↔ 126	
kg 1 Geschwindigkeit / Speed Vitesse / Velocità / Velocidad Velocidade / Скорость  6000 4000 2000 0 0 20 40 60 80 100 120 140 160 m/min			





** Weitere Hublastdaten: siehe Betriebsanleitung. / Further hoist load data: see instruction manual. / Autres données de la charge de levage: voir manuel d'instruction. / Altri dati sui carichi sollevati: consultare il manuale d'istruzione. / Alturas bajo granco superiores según manual. / Outras tabelas de carga: consultar manual de instruções. / Другие данные по весу поднимаемых грузов: см. инструкцию по эксплуатации.

Kolli-Liste

Packing List / Liste de colisage / Lista dei colli
Lista de contenido / Lista de embalagem / Упаковочный лист

Montagegewichte: siehe Betriebsanleitung. / Erection weights: see instruction manual. / Poids de montage: voir manuel de service. / Pesi di montaggio: vedere manuale d'uso. / Peso para el montaje: según manual. / Pesos de montagem: veja-se as instruções p. uso. / Масса монтируемых частей: см. инструкцию по эксплуатации.

Kranoberteil		Upper part of crane / Partie supérieure de grue / Parte superiore della gru Parte superior grúa / Parte superior do guindaste / Верхняя часть крана	L (m)	B (m)	H (m)	kg*
Pos. Item	Anz. Qty.	Drehbühne mit Podesten / Slewing platform with platforms Plate-forme tournante avec plates-formes / Piattaforma girevole con pedana / Plataforma giratoria con plataforma Plataforma giratória com plataforma / Поворотная платформа с площадками				
1	1		2,71	2,90	2,58	6220
2	1	Drehbühne / Slewing platform / Ensemble mât-cabine / Piattaforma girevole / Conjunto plataforma de giro / Plataforma giratória Поворотная платформа				
			2,71	2,25	2,58	5940
3	1	Podeste / Platforms / Plates-formes Pedana / Plataformas / Plataformas Площадки				
			2,33 2,40 2,33	0,50 1,04 0,65	1,36 1,33 1,36	120 150 120
4	1	Kabine / Cabin / Cabine Cabina / Cabina / Cabina Кабина				
			1,35	2,82	2,28	610
5	1	Gegenausleger / Counter-jib / Contre-flèche Controfreccia / Contrapluma / Contra-lança Консоль противовеса				
			11,98	1,40	0,81	2720
6	1	Podeste Gegenausleger / Counter-jib platforms Plates-formes de contre-flèche / Ballatoi controfreccia Plataforma contrapluma / Plataforma contra-lança Площадки консоли противовеса				
			4,00	0,69	1,35	180
7	1	Ausleger-Anlenkstück / Jib heel section / Pied de flèche Sezione articolata braccio / Pluma tramo primero / Base articulada de lança / Корневая секция стрелы				
			10,01	1,34	2,23	① 2010

Pos.	Anz.					L (m)	B (m)	H (m)	kg*
Item	Qty.								
Rep.	Qts.								
Voce	Qta.								
Pos.	Cant.								
Ref.	Cant.								
Поз.	Кол-во								
8	1	Ausleger-Zwischenstück / Intermediate jib section Elément intermédiaire de flèche / Sezione intermedia braccio / Tramo intermedio pluma / Peça suplementar da lança / Промежуточная секция стрелы				5,27 10,26 2,72 7,71 5,19 5,17	1,20 1,20 1,20 1,20 1,20 1,20	2,15 2,14 1,48 1,48 1,46 1,45	② 740 ③ 1180 ⑤ 200 ⑥ 500 ⑦ 230 ⑧ 200
9	1	Ausleger-Zwischenstück / Intermediate jib section Elément intermédiaire de flèche / Sezione intermedia braccio / Tramo intermedio pluma / Peça suplementar da lança / Промежуточная секция стрелы				10,22	1,20	2,08	④ 850
10	1	Ausleger-Kopfstück / Jib head section / Pointe de flèche / Punta braccio / Tramo punta de pluma Cabeça de lança / Концевая секция стрелы				1,40	1,21	0,46	⑨ 80
11	1	Laufkatze / Trolley / Chariot Carrello / Carrito / Carrinho Грузовая тележка				1,62	1,38	1,29	530
12	1	Fahrkorb / Maintenance cage / Nacelle d'entretien Cestello di manutenzione / Plataforma de mantenimiento / Передвижная платформа				0,78	0,66	1,25	35
Turm Tower / Mât / Torre Torre / Torre / Башня									
13	1	Grundturmstück / Base tower section / Mât de base Elemento di torre base / Tramo torre base Peça de base de torre / Секция основания				100 LC 12,00 120 HC 6,85 120 HC 10,00	2,03 1,80 1,80	2,03 1,80 1,80	3820 2610 3530
14	1	Turmstück / Tower section Elément de mât / Elemento di torre Tramo torre / Torre / Башенная секция			3,90 m 5,85 m 11,70 m	100 LC 4,17 100 LC 6,12 100 LC 11,97 120 HC 2,50 120 HC 5,00 120 HC 10,00 120 HC 12,50	1,80 1,80 1,80 1,80 1,80 1,80 1,80	1,80 1,80 1,80 1,80 1,80 1,80 1,80	1190 1620 2930 1090 1830 3430 4200
15	1	Kletterturmstück / Climbing tower section Elément de hisse de mât / Elemento torre di telescopaggio / Tramo de trepado Tramo de telescopagem / Секция самоподъема				120 HC 2,75	2,20	2,45	1450
						100 LC 4,17	2,26	2,26	1440
Klettereinrichtung Climbing equipment / Equipement de télescope / Attrezzatura per allungamento della gru Equipo de trepado / Acesórios p. subida no edificio / Обойма наращивания									
16	1	Führungsstück kpl. / Guide section cpl. / Cage télescopique cpl. / Gabbia di sopraelevazione compl. Torre de montaje completa / Peça de guia compl. Направляющая секция в сб.				100 LC 8,74 120 HC 6,45 120 HC 9,60	2,27 2,10 2,10	2,35 2,42 2,42	3130 3500 4440
17	1	Hydraulikanlage, Stütz- und Klettertraverse / Hydraulic unit, supporting and climbing cross members / Système hydraul. avec traverses d'appui et de télescope. Sist. idraul., traversa di appoggio e allugam. gru / Sistema hidráulico con traviesa de apoyo y trepado / Instalação hidráulica, travessa de apoio e subida / Гидроагрегат, стойка-упор и траверса обоймы наращивания				100 LC 2,00 120 HC 2,87	0,90 2,12	0,80 1,06	640 1050
Fundamentkreuz Cruciform base / Châssis en croix / Crociera Carro de guindaste / Base cruciforme / Фундаментная крестовина									
18	1	Tragholm I / Arm I / Longeron I Longherone I / Travessa I Brazo I / Несущая балка I			(3,8 m) 100 LC 5,68 (4,5 m) 100 LC 6,67	0,71 0,71	0,91 0,91	2090 2190	
19	1	Tragholm II / Arm II / Longeron II Longherone II / Travessa II Brazo II / Несущая балка II			(3,8 m) 100 LC 5,68 (4,5 m) 100 LC 6,67	0,78 0,78	0,74 0,74	1870 1970	
20	2	Fahrschemel mit Antrieb / Rail bogie with drive Bogie moteur / Telajo con gruppia propulsore Caja rodillo motriz / Quadra sem grupa de propulsão Подрамник с приводом				100 LC 1,31 120 HC 1,38	0,66 0,88	0,61 0,87	630 900
21	2	Fahrschemel ohne Antrieb / Rail bogie without drive Bogie fou / Telajo senza gruppia propulsore / Caja rodillo conducido / Quadra com grupa de propulsão Подрамник без привода				100 LC 1,04 120 HC 1,17	0,33 0,60	0,61 0,87	330 860

* Einzelgewichte. / Single weights. / Poids individuels. / Singoli pesi. / Pesos unitarios. / Pesos de peças componentes. / Индивидуальный вес.

Konstruktionsänderungen vorbehalten! / Subject to alterations! / Sous réserves de modifications! / Riservato il diritto di modifiche strutturali!
¡Sujeto a modificaciones! / Salvo modificação da construo! / Права на внесение конструкторских изменений сохраняются!

Sämtliche Angaben erfolgen ohne Gewähr. / This information is supplied without liability. / Ces renseignements sont sans garantie. / Tutte le indicazioni fornite senza garanzia. / Declinamos toda responsabilidad derivada de la información proporcionada. / Declinamos qualquer responsabilidade quanto à informação fornecida. / Все данные указаны без обязательств.

121 P – 5845 • EN 14439:2009 – DIN 15018-H1/B3 • BGL C.0.10.0100 • 09.14 / 7

Printed in Germany.

Liebherr-Werk Biberach GmbH
Postfach 1663, D-88396 Biberach an der Riss
☎ +49 73 51 41-0, Fax: +49 73 51 41 22 25
www.liebherr.com, E-Mail: info.lbc@liebherr.com

Liebherr Industrias Metálicas, S.A.
Polígono Industrial Agustinos, Apartado 4096,
☎ +34-948-29 70 00, Fax +34-948-29 70 29
www.liebherr.com, E-Mail: info.lim@liebherr.com

032 74 99 225

MAZUR
www.zurawiewiezowe.pl